

PIPETTE TIPS

More than 20 years of expertise as a pipette tips manufacturer gives **CAPP** the necessary know-how to select and design tips that match the expectations of the strictest customers.

**CAPP** offers a wide range of high quality tips to fulfill the pipetting needs of research, diagnostics and analytical laboratories.

#### Premium design:

- Universal compatibility to the majority of pipette brands on the market
- Different lengths for different applications within the same volume range
- Crystal clear, incremental marks for convenience of use

#### Premium portfolio:

- Select from **EXPellPlus** Low Retention or **EXPell** Standard (both of premium quality)
- Options of bulk, racked, racked-sterile, reloads, racked-sterile-filtered and bulk-filtered tips
- Different designs of tips within the same volume range to fit almost all the pipettes available on the market

#### Premium manufacturing:

- Absolutely no compromise made on quality parameters
- Clean-room facility to eliminate the risk of contamination
- Certified RNase, DNase, DNA and Pyrogen-free
- Superb quality, Swiss-made injection molds
- Made from virgin polypropylene

















BULK PIPETTE TIPS

**EXPell** and **EXPellPlus Bulk Pipette Tips** come in self-standing, self-sealing plastic bags, enabling comfortable usage and storage.

The tips can be used directly from the bag or manually refilled into all **CAPP** racks. Each bag has a label showing the catalogue and the batch number for easier identification.

**CAPP Bulk Pipette Tips** are the ideal choice for cost-sensitive customers. The tips are manufactured under the same strict conditions as all other types of **CAPP** tips and are certified according to RNase, DNase, DNA and Pyrogen-free standards. They offer universal compatibility with all major pipette brands on the market.





# **Ordering Information**

#### **EXPell** Bulk Filter Tips

Cat. No.	Description
5131030C	Expell 10μL, bag, w/ filter, 20x1000 pcs.
5131060C	Expell 10µL XL, bag, w/ filter, 20x1000 pcs.
5131061C	Expell 10/20μL XL, extra narrow, bag, w/ filter, 20x1000 pcs.
5131062C	Expell 20µL, bag, w/ filter, 10x1000 pcs.
5131066C	Expell 100μL, bag, w/ filter, 10x1000 pcs.
5131090C	Expell 200μL, bag, w/ filter, 10x1000 pcs.
5131150C	Expell 1000μL, bag, w/ filter, 10x1000 pcs.

#### **EXPell** Bulk Non-filter Tips

Cat. No.	Description
5130010C	Expell 10μL, clear, bag, 20x1000 pcs.
5130040C	Expell 10µL XL, clear, bag, 20x1000 pcs.
5130041C	Expell 10/20μL XL, extra narrow, clear, bag, 20x1000 pcs.
5130070C	Expell 200μL, clear, bag, 30x1000 pcs.
4130075C	Expell 200µL, yellow, bag, 30x1000 pcs.
5130100C	Expell 300μL, clear, bag, 10x1000 pcs.
5130130C	Expell 1000µl (1250µL), clear, bag, 10x1000 pcs.
4130135C	Expell 1000μl (1250μL), blue, bag, 10x1000 pcs.
5130132C	Expell 1000μL (1250μL), pre-sterile, clear, bag, 5x200 pcs. individually wrapped
5130120C	Expell 1250μL XL, clear, bag, 8x 500 pcs
5130160C	Expell 5000μL, clear, bag, 10x250 pcs. for ecopipette and CAPPBravo pipettes
5130161C	Expell 5000μl, clear, bag, 8x250 pcs. for CAPPSolo pipettes
5130190C	Expell 10000µl, clear, bag, 5x200 pcs. for ecopipette and CAPPBravo pipettes
5130191C	Expell 10000µl, clear, bag, 10x100 pcs. for CAPP Solo pipettes

#### **EXPeliPho** Bulk Non-filter Tips, Low Retention

Cat. No.	Description
5030010C	ExpellPlus 10μL, pre-sterile, clear, bag, 20x1000 pcs.
5030012C	ExpellPlus 10μL, pre-sterile, clear, bag, 5x400 pcs. individually wrapped
5030040C	ExpellPlus 10μL XL, pre-sterile, clear, bag, 20x1000 pcs.
5030042C	ExpellPlus 10μL XL, pre-sterile, clear, bag, 5x400 pcs. individually wrapped
5030070C	ExpellPlus 200μL, pre-sterile, clear, bag, 30x1000 pcs.
5030072C	ExpellPlus 200µL, pre-sterile, clear, bag, 5x400 pcs. individually wrapped
5030130C	ExpellPlus 1000μl (1250μL), pre-sterile, clear, bag, 10x1000 pcs.







portfolio of racked pinette tips

CAPP offers a wide portfolio of racked pipette tips. The racks are compatible with CAPP bulk tips of the corresponding volume sizes as well as with the CAPP reload system.

All **CAPP Racked Tips** are manufactured using Swiss-made injection molds, to ensure a premium quality. The product portfolio for racked tips includes filter, non-filter, sterile and non-sterile tips. Additionally, **CAPP Racked Tips** are available as **EXPell** standard quality and **EXPellPlus** low-retention tips. Both versions are universally compatible with the majority of pipette brands available on the market.

In order to support a wider range of applications, **CAPP Racked Tips** are available in different lengths within the same volume range. The autoclavable racks are packed in user-friendly and space-saving dispenser boxes, including 10 racks (for the majority of volume sizes) or 8 racks for the 1mL tips.

Made of virgin polypropylene, **CAPP Racked Tips** are RNase, DNase and Pyrogen-free certified. The **EXPeliptos** racked tips have unique low retention properties, reducing sample binding to a minimum and significantly improving your pipetting results.





# **Ordering Information**

# CAPP

#### **EXPell** Racked Tips

Cat. No.	Description
5030015C	Expell 10μL, hinged racks, 5x10x96 pcs.
5130030C	Expell 10μL, pre-sterile w/ filter, hinged racks, 5x10x96 pcs.
5030045C	Expell 10μL XL, hinged racks, 5x10x96 pcs.
5030046C	Expell 10/20μL XL, extra narrow, hinged racks, 5x10x96 pcs.
5130060C	Expell 10μL XL, pre-sterile w/ filter, hinged racks, 5x10x96 pcs.
5130061C	Expell 10/20μL XL, extra narrow, pre-sterile w/ filter, hinged racks, 5x10x96 pcs.
5130062C	Expell 20μL, pre-sterile w/ filter, hinged racks, 5x10x96 pcs.
5130066C	Expell 100μL, pre-sterile w/ filter, hinged racks, 5x10x96 pcs.
5030075C	Expell 200μL, hinged racks, 5x10x96 pcs.
5130090C	Expell 200μL, pre-sterile w/ filter, hinged racks, 5x10x96 pcs.
5130105C	Expell 300μL, hinged racks, 5x10x96 pcs.
5130135C	Expell 1000μL (1250μL), hinged racks, 4x8x96 pcs.
5130140C	Expell 1000μL (1250μL), pre-sterile, hinged racks, 4x8x96 pcs.
5130150C	Expell 1000μL, pre-sterile w/ filter, hinged racks, 4x8x96 pcs.
5130121C	Expell 1250μL XL, hinged racks, 4x8x96 pcs.
5130122C	Expell 1250μL XL, pre-sterile, hinged racks, 4x8x96 pcs.
5130123C	Expell 1250μL XL, pre-sterile w/filter, hinged racks, 4x8x96 pcs.
5130165C	Expell 5000μL, pre-sterile, racks, 10x50 pcs.
5130195C	Expell 10000μL, pre-sterile, racks, 10x25 pcs.

#### **EXPellPlus** Racked Tips, Low Retention

Cat. No.	Description
5030020C	ExpellPlus 10μL, pre-sterile, hinged racks, 5x10x96 pcs.
5030030C	ExpellPlus 10μL, pre-sterile w/ filter, hinged racks, 5x10x96 pcs.
5030050C	ExpellPlus 10μL XL, pre-sterile, hinged racks, 5x10x96 pcs.
5030051C	ExpellPlus 10/20μL XL, extra narrow, pre-sterile, hinged racks, 5x10x96 pcs.
5030060C	ExpellPlus 10µL XL, pre-sterile w/ filter, hinged racks, 5x10x96 pcs.
5030061C	ExpellPlus 10/20μL XL, extra narrow pre-sterile w/ filter, hinged racks, 5x10x96 pcs.
5030062C	ExpellPlus 20μL, pre-sterile w/ filter, hinged racks, 5x10x96 pcs.
5030066C	ExpellPlus 100μL, pre-sterile w/ filter, hinged racks, 5x10x96 pcs.
5030080C	ExpellPlus 200µL, pre-sterile, hinged racks, 5x10x96 pcs.
5030090C	ExpellPlus 200μL, pre-sterile w/ filter, hinged racks, 5x10x96 pcs.
5130110C	ExpellPlus 300μL, pre-sterile, hinged racks, 5x10x96 pcs.
5030115C	ExpellPlus 300μL, pre-sterile w/ filter, hinged racks, 5x10x96 pcs.
5030150C	ExpellPlus 1000μL, pre-sterile w/ filter, hinged racks, 4x8x96 pcs.







INDIVIDUALLY WRAPPED TIPS

**EXPeliptes Individually Wrapped Tips** are ideal for sensitive applications requiring the strictest aseptic conditions.

Their unique individual packaging ensures sterility for every single pipetting cycle, maximising the exceptional performance of **EXPeliptos** sterile tips. Assuring the greatest purity standards, **EXPeliptos Individually Wrapped Tips** are free from Endotoxin, DNA, DNase, RNase and PCR inhibitor.

Available in four volume sizes: 10µL standard and extended length, 200µL and 1000-1250µL, **EXPeliphs** individually wrapped tips are universally compatible with the majority of pipette brands available on the market. Thanks to the unique composition of plastic polymer, the inner surface of **EXPeliphs Individually Wrapped Tips** is more hydrophobic, which significantly reduces sample adhesion. These low retention properties minimise sample binding inside the tip, making **EXPeliphs** tips ideal for applications requiring high accuracy and reproducibility.

**EXPellPlus** Individually Wrapped Tips are sterile. Batch number and expiration date are printed on each individual wrap.





REF 5130132-1

STERILER (2) X

LOT

# **Ordering Information**

**EXPellPhy** Individually Wrapped Tips

Cat. No.	Description
5030012C	ExpellPlus 10μL, pre-sterile, clear, bag, 5x400 pcs. individually wrapped tips
5030042C	ExpellPlus 10μL XL, pre-sterile, long, clear, bag, 5x400 pcs. individually wrapped tips
5030072C	ExpellPlus 200μL, pre-sterile, clear, bag, 5x400 pcs. individually wrapped tips
5130132C	Expell 1000μL (1250μL), pre-sterile, clear, bag, 5x200 pcs. individually wrapped tips





#### RELOAD SYSTEM

**EXPell Pipette Tips Reload System** is available for  $10\mu$ L standard and extended length as well as for the  $200\mu$ L and  $1000-1250\mu$ L tips. Depending on the tip volume, it consists of towers with 5, 8 or 10 insert plates containing 96 tips each.

The system is extremely easy to use. Take off the tower cover and pick up the insert plate with tips. Place it into the empty rack. The rack has been refilled with 96 tips.

#### **EXPell Reload System** enables multiple savings:

It cuts shipping costs significantly by reducing up to 75% of the packing volume. The tips in an **EXPell Reload System** are packed more compactly compared to standard racked or bulk tips.

In the **EXPell Reload System** the tips from the upper insert plate are partially placed into the tips of the lower plate, resulting in a slim tower, taking much less space than a single box with 10 racked tips.

**CAPP's EXPell Reload System** reduces the plastic waste. Each rack can be reused multiple times and, apart from the insert plates with tips, there is no further plastic component in the **EXPell Reload System** – only the recyclable cardboard packaging.


Further saving with **EXPell Reload System** concerns the space. Thanks to the minimal footprint, the towers of the **EXPell Reload System** take up as less space on the benchtop and in the storage room as possible.

The system is compatible with all **CAPP** racks of corresponding tip volumes.


Spare, empty racks are available as accessories.


### **Ordering Information**

Cat. No.	Description
5030035C	Expell 10μL, reload tips, 10x10x96 pcs.
5030034C	Empty rack for 10μL, reload tips, 50 pcs.
5030055C	Expell 10/20μL XL, extra narrow, 10x10x96 pcs.
5030054C	Empty Rack ro 10/20μL XL, extra narrow, reload tips, 50 pcs.
5030095C	Expell 200μL, reload tips, 10x10x96 pcs.
5130111C	Expell 300μL, reload tips, 10x8x96 pcs
5030094C	Empty rack for 200μL/300μl, reload tips, 50 pcs.
5130155C	Expell 1000μL (1250μL), reload tips, 10x5x96 pcs.
5130125C	Empty rack for 1000μL (1250μL), reload tips, 32 pcs.















FILTER TIPS

Filter tips are primarily used to prevent cross-contamination on critical applications, for example in the field of molecular biology.

More than 20 years of expertise as a pipette manufacturer gives **CAPP** the necessary know-how to select and design tips that match the expectations of the strictest customers; offering a wide range of high quality tips to fulfill the pipetting needs of research, diagnostics and analytical laboratories.

**CAPP Filter Tips** feature a premium design and universal tip compatibility. They are crystal clear and have accurate graduation marks. The premium filters are consistent in their dimensions, feature controlled pore sizes and are without any additives, making them perfect for molecular, clinical and life science use.

**CAPP EXPell and EXPellPhs Filter Tips** are made to fulfil premium specifications. They possess low retention properties and have a great finish with flash-free orifice. They are certified DNase, RNase, DNA/RNA and pyrogen-free.



# EXPelIPLUS Paper Box

Introducing EXPeliPlus Paper Box filtered pipette tips in cardboard racks


**CAPP** is proud to introduce the environmentally-friendly **EXPellPhs** Paper Box cardboard racks for **EXPellPhs** filter pipette tips. Perfectly suited to the **CAPP** refill system, these are a great alternative to standard plastic tip racks.

#### Recyclability:

When you choose filtered pipette tips in **EXPelIPITS** Paper Box cardboard racks, the racks can be recycled, reducing any waste impact on the environment.

With the **EXPelims** Paper Box cardboard racks, when you are finished with a pack of tips, instead of adding to the global waste problem you can be a part of the solution by simply flattening and recycling the rack.

Together we can stop adding more plastic to the environment and be a part of the change that will help our planet!






## **Ordering Information**

#### **EXPell** Filter tips

	•
Cat. No.	Description
5130030C	Expell 10µL, pre-sterile w/ filter, hinged racks, 5x10x96 pcs.
5131030C	Expell 10μL, bag, w/ filter, 20x1000 pcs.
5130060C	Expell 10µL XL, pre-sterile w/ filter, hinged racks, 5x10x96 pcs.
5131060C	Expell 10µL XL, bag, w/ filter, 20x1000 pcs.
5130061C	Expell 10/20μL XL, extra narrow, pre-sterile w/ filter, hinged racks, 5x10x96 pcs.
5131061C	Expell 10/20μL XL, extra narrow, bag, w/ filter, 20x1000 pcs.
5130062C	Expell 20µL, pre-sterile w/ filter, hinged racks, 5x10x96 pcs.
5131062C	Expell 20μL, bag, w/ filter, 10x1000 pcs.
5130066C	Expell 100µL, pre-sterile w/ filter, hinged racks, 5x10x96 pcs.
5131066C	Expell 100μL, bag, w/ filter, 10x1000 pcs.
5130090C	Expell 200μL, pre-sterile w/ filter, hinged racks, 5x10x96 pcs.
5131090C	Expell 200μL, bag, w/ filter, 10x1000 pcs.
5130150C	Expell 1000µL, pre-sterile w/ filter, hinged racks, 4x8x96 pcs.
5131150C	Expell 1000μL, bag, w/ filter, 10x1000 pcs.
5130123C	Expell 1250μL XL, pre-sterile w/ filter, hinged racks, 4x8x96 pcs.



Cat. No.	Description
5030030C	ExpellPlus 10μL, pre-sterile w/ filter, hinged racks, 5x10x96 pcs.
5030060C	ExpellPlus 10µL XL, pre-sterile w/ filter, hinged racks, 5x10x96 pcs.
5030061C	ExpellPlus 10/20μL XL, extra narrow, presterile w/ filter, hinged racks, 5x10x96 pcs.
5030062C	ExpellPlus 20μL, pre-sterile w/ filter, hinged racks, 5x10x96 pcs.
5030066C	ExpellPlus 100µL, pre-sterile w/ filter, hinged racks, 5x10x96 pcs.
5030090C	ExpellPlus 200µL, pre-sterile w/ filter, hinged racks, 5x10x96 pcs.
5030115C	ExpellPlus 300μL, pre-sterile w/ filter, hinged racks, 5x10x96 pcs.
5030150C	ExpellPlus 1000μL, pre-sterile w/ filter, hinged racks, 4x8x96 pcs.





#### EXPell and EXPellPlus Filter Tips in Cardboard Racks

Cat. No.	Description
5030029C	ExpellPlus 10µl, pre-sterile w/ filter, PaperBox, 5x10x96 pcs.
5030059C	ExpellPlus 10μl XL, extra narrow pre-sterile w/ filter, PaperBox, 5x10x96 pcs.
5030063C	ExpellPlus 20µl, pre-sterile w/ filter, PaperBox, 5x10x96 pcs.
5030064C	ExpellPlus 100μl, pre-sterile w/ filter, PaperBox, 5x10x96 pcs.
5030089C	ExpellPlus 200μl, pre-sterile w/ filter, PaperBox, 5x10x96 pcs.
5030114C	ExpellPlus 300μl, pre-sterile w/ filter, PaperBox, 5x10x96 pcs.
5130149C	Expell 1000µl, pre-sterile w/ filter, PaperBox.4x8x96 pcs.
5130119C	Expell 1250µl XL, pre-sterile w/ filter, PaperBox, 4x8x96 pc.





HTL
Labmate Pro
(same as Labnet BioPette)

Sartorius Proline Plus / Picuss

Thermo
Finnpipette F1 / Novus
manual single and multi chan
and electronic single and
multi channel pipettes

Brand

Eppendorf Research Plus

Gilson

CAPP
Bravo / ecopipette / CAPPAero /
CAPPMaestro / CAPP Tronic

						lgu			ılgu	
COMPATIBILITY CHART	<b>⊢</b>	iβ	əli	əjî	ąjs	iis leun	ctronic gle	ctronic	iis leun	
		suis	- - - -	- - - - - -	- Buis	- - - - -	- Buis	- gale -	- - -	
Description	Car Si Si Si Si Si Si Si Si Si Si Si Si Si	11 0005-0001 11 0005-0001 11 0005-001 11 005-01 11 05-5 11 07-2 11 07-2 11 07-2	10000-0001 PT 0005-0001 PT 0005-0001 PT 0005-001 PT 005-00 PT 005-00 PT 005-00 PT 005-00 PT 005-00 PT 005-00 PT 005-0001 PT 00001-00001	1000-10000 Prr 200-2000 Prr 20-200 Prr 25-20 Prr (Aellow) 25-20 Prr (Brek) 25-20 Prr (Brek) 25-10 Prr	0.5-10 pt pink 100-100 pt 20-200 pt 10-100 pt 2-20 pt S	100-1000 hr 20-200 hr 20-20 hr Aellow 10-100 hr Aellow	יין 0001-001 אין 100-100 אין 100-00 אין 1000-01 אין 100-00 אין 100-00 אין 100-9-00 אין 1000-00 אין 1000-00 אין 1000-00	חיל 01-500 מיל 01-500 מיל 0001-05 חיל 000-05 חיל 001-5 חיל 01-2-0 מ-0000000 מיל 0005-0000 מיל 0005-005	1000-10000 Ptr 1000-2000 Ptr 20-200 Ptr 20-200 Ptr 10-100 Ptr 20-20 Ptr	
CAPP ExpellPlus Low Retention Pipette Tips										
ExpellPlus 10 μL, clear, sterile	5030010C	-	×			×		•		N
ExpellPlus 10 μL, clear, sterile	5030020C	-	× <b>•</b>			_		-		ŧ
ExpellPlus 10 µL XL, clear, sterile	5030040C		×	× •	-	•		-		1
ExpellPlus 10 µL XL, clear, sterile	5030050C	-	×	× •		<b>.</b>		-		
ExpellPlus 10/20 μL XL, extra narrow, clear, sterile	5030051C	-	× <b>•</b>	× •		<b>.</b>		-		
ExpellPlus 200 μL, clear, sterile	5030070C				:	- ×	:	-	:	
ExpellPlus 200 μL, clear, sterile	5030080C			- - - ×	:		-	-	:	
ExpellPlus 300 μL, clear, sterile	5130110C	:	:		:	:	-	•	• • • •	**
CAPP ExpellPlus Low Retention Filter Tips										١
ExpellPlus 10 μL, w/ fiilter, clear, sterile	5030030C		× •	•		_		-		
ExpellPlus 10 μL XL, w/ fiilter, clear, sterile	5030060C		×	×				-		
ExpellPlus 10/20 μL XL, extra narrow, w/ fiilter, clear, sterile	5030061C		×	×		•		-		
ExpellPlus 20 μL, w/ fiilter, clear, sterile	5030062C		×	<b>■</b> ×	-	- ×	•		•	1
ExpellPlus 100 μL, w/ fiilter, clear, sterile	5030066C		■ ×	■ ■ ×	•	■ ■ ×	•		-	
ExpellPlus 200 μL, w/ fiilter, clear, sterile	5030090C		* ×	* × ×	<b>■</b> ×	■ ■ ×	-	<b>■</b> ×	- - ×	2
ExpellPlus 300 μL, w/ fiilter, clear, sterile	5030115C				•	-	-		-	
ExpellPlus 1000 µL, w/ filter, clear, sterile	5030150C			•						4
CAPP Expell Pipette Tips										
Expell 10 µL, clear	5030015C		×			v				
Expell 10 µL, clear	5130010C		×			_	-	-		
Expell 10 µL XL, clear	5030045C		×	×	-			-		
Expell 10 µL XI, clear	5130040C		×	×		<b>.</b>	-	-		
Expell 10/20 µL XL, extra narrow, clear	5030046C		×	×		<b>.</b>		-		
Expell 10/20 μL XL, extra narrow, clear	5130041C		×	×		<b>.</b>	-	-		
Expell 200 µL, clear	5030075C			<b>II II</b> ×	-	- ×	-	•		
Expell 200 µL, clear	5130070C			• • · · · · · · · · · · · · · · · · · ·	:		-	-	-	
Expell 200 µL, yellow	4130075C			• • · · · · · · · · · · · · · · · · · ·	:		-	-		
Expell 300 µL, clear	5130105C				:	-	-	•	:	
Expell 300 µL, clear	5130100C				-	-	-	-	-	
Expell 1000 µL (1250 µL), clear	5130135C	•	•	•	•	•	•		•	
Expell 1000 µL (1250 µL), clear	5130130C	•	•	•	•	•			•	
Expell 1000 µL (1250 µL), blue	4130135C		•	•	•	•	-		-	
Expell 1000 µL (1250 µL), clear, sterile	5130140C			•		-				
Expell 1250 µL XL, clear	5130121C	•	•	•	•	•			•	
Expell 1250 µL XL, clear	5130120C		•	•		•				
Expell 1250 µL XL, clear, sterile	5130122C		•	•	•	-	•		•	
Expell 5000 µL, clear, sterile	5130165C	•	•						•	
Expell 5000 µL, clear	5130160C	•	•						•	
Expell 5000 µL, clear	5130161C			•						
Expell 10000 μL, clear, sterile	5130195C							•		
Expell 10000 μL, clear	5130190C							-	•	
Expell 10000 µL, clear	5130191C									
	0.00	0.000	2000	+ 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	dracely controls to	10 V) 30 CCC 77		1		

This compatibility chart is for your reference. We are not responsible for technical modifications or changes made to the mentioned pipettes other than those of CAPP. Specifications like inaccuracy and imprecision values have not been checked. For a complete compatibility list please contact info@cappahn.com.

	This compatibility chart is for your reference. We are not responsible for technical modifications or changes made to t Specifications like inaccuracy and imprecision values have not been checked. For a complete compatibility list please c
5130155C	or your reference. We are not cy and imprecision values have
Expell 1000 µL (1250 µL), clear, reload	This compatibility chart is f Specifications like inaccura
Expell 1000 µL (1.	



Expell 300 µL, clear, reload

compatible X not compatible